



# Technical Specifications

# RadCom 2 Dual-PACS Workstation



Powerful Processing up to Intel® Core™ i9



Nvidia® GeForce® High End Graphics

## Client Centric, Results Driven

Empower your radiology workforce with the RadCom 2 Dual-PACS Workstation, designed and developed to meet your radiologists' workstation requirements regardless of PACS clients or dictation systems.

## Inspired, Reliable Design

The RadCom 2 integrates seamlessly into your radiology reading environment with a durable mid tower chassis, certified components and multiple monitor configuration options, delivering reliable performance and peace of mind.

## Best-in-class Security

Every RadCom 2 provides secure, seamless access to your data – your most important asset.

## Easy Manageability

Dextro Imaging Solutions features help save your radiologists' time and increase IT efficiency. The RadCom 2 supports two PACS, consolidating two traditional workstations into one highly efficient, secure workspace.

## A Single Point of Contact

The RadCom 2 includes Dextro Imaging Solutions' remote desktop support, providing your business with more flexibility – especially for hard-to-reach, remote locations.

| Feature                              | Specifications   |
|--------------------------------------|--|
| Processors                           | 9 <sup>th</sup> and 10 <sup>th</sup> generation Intel Core processors up to i9   |
| Chipset                              | Intel-OS Dependent   |
| Operating System Options             | Microsoft® Windows 10 Pro 64-bit, Windows 10 Standard 64-bit   |
| Graphics                             | GeForce GT 1030 SC 2GB GDDR5 – Quadro® RTX 4000 8GB  |
| Memory (RAM)                         | 2 x 16-32GB DDR4<br>DDR4 SDRAM, up to 32GB   |
| Networking                           | 2 x Integrated Ethernet LAN 10/100/1000  |
| Interfaces                           | 4 x rear static USB 2.0 ports<br>2 x rear switched external USB 2.0 ports<br>4 x rear DVI 1.2 ports<br>1 x rear dedicated mic-in USB port<br>1 x keyboard USB port<br>1 x mouse USB port<br>2 x front power buttons  |
| Removable Media Options              | Supports external USB optional optical disc drives and USB thumb drives  |
| Hard Drive Options                   | Hard Disk Drives: 2 x up to 1TB<br>M.2 Solid State Drives  |
| Chassis Type                         | Mid Tower ATX  |
| Case Dimensions (L x W x H)          | 21.8 x 9.6 x 19.1 in / 55.3 x 24.5 x 48.4 cm   |
| Min. Weight                          | 17.5 lbs / 7.9 kg  |
| No. Drive Bays                       | Custom   |
| Expansion Slots                      | 2 x full height PCIe x16 ADJ (engaged)<br>2 x full height PCIe x1 ADJ (engaged)  |
| Power Supply Unit (PSU)              | 1 x standard 1200W PSU Active PFC ENERGY STAR compliant, Active PFC, SPLIT   |
| Included                             | System soundproofing, quiet Maglev fans  |
| Accessories                          | Keyboard: Backlit mechanical spill-proof USB wired keyboard<br>Mouse: USB wired mouse<br>Video Display Wiring included<br>Security Lock upon request   |
| Security                             | Trusted Platform Module (TPM) 1.2, Available Data Protection Encryption, Chassis lock slot support, Setup/BIOS Password, I/O Interface Security, optional Smart Card keyboards, Intel Trusted Execution Technology, Intel Identity Protection Technology, Intel Ant-Theft Technology, BIOS support |
| Systems Management Options           | In-Band systems management   |
| Environmental & Regulatory Standards | Environmental Standards (eco-labels): ENERGY STAR 5.2, EPEAT Registered, CECP, WEEE, Japan Energy Law, South Korea E-standby, South Korea Eco-label (for SFF only), EU RoHS, China RoHS<br>Other Environmental Options: Carbon Off-set; Asset Resale and Recovery Service                          |
| Warranty & Service                   | Limited Hardware Warranty  |
| Configuration Services               | Factory image load, BIOS customization, hardware customization, asset tagging, reporting available at extra charge.  |

© 2021 Dextro Imaging Solutions, LLC. All Rights Reserved. All products and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation or endorsement by them.