

Radcom 2 Barco[®]

Technical Specifications

RadCom 2 Barco Dual-PACS Workstation



Powerful Processing up to Intel® Core™ i9



Barco® Certified High End Graphics

Client Centric, Results Driven

Empower your radiology workforce with the RadCom 2 Barco Dual-PACS Workstation, designed and developed to meet your radiologists' workstation requirements regardless of PACS clients or dictation systems.

Inspired, Reliable Design

The RadCom 2 Barco integrates seamlessly into your radiology reading environment with a durable mid tower chassis, certified components and multiple monitor configuration options, delivering reliable performance and peace of mind.

Best-in-class Security

Every RadCom 2 Barco provides secure, seamless access to your data – your most important asset.

Easy Manageability

Dextro Imaging Solutions features help save your radiologists' time and increase IT efficiency. The RadCom 2 Barco supports two PACS, consolidating two traditional workstations into one highly efficient, secure workspace.

A Single Point of Contact

The RadCom 2 Barco includes Dextro Imaging Solutions' remote desktop support, providing your business with more flexibility – especially for hard-to-reach, remote locations.

| Feature | Specifications |
|--------------------------------------|--|
| Processors | 9 th and 10 th generation Intel Core processors up to i9 |
| Chipset | Intel-OS Dependent |
| Operating System Options | Microsoft® Windows 10 Pro 64-bit, Windows 10 Standard 64-bit |
| Graphics | Barco MXRT-5600, Barco MXRT-6700, Barco MXRT-8700 |
| Memory (RAM) | 2 x 16-32GB DDR4 DDR4 SDRAM, up to 32GB |
| Networking | 2 x Integrated Ethernet LAN 10/100/1000 |
| Interfaces | 4 x rear static USB 2.0 ports 2 x rear switched external USB 2.0 ports 4 x rear DVI 1.2 ports 1 x rear dedicated mic-in USB port 1 x keyboard USB port 1 x mouse USB port 2 x front power buttons |
| Removable Media Options | Supports external USB optional optical disc drives and USB thumb drives |
| Hard Drive Options | Hard Disk Drives: 2 x up to 1TB M.2 Solid State Drives |
| Chassis Type | Mid Tower ATX |
| Case Dimensions (L x W x H) | 21.8 x 9.6 x 19.1 in / 55.3 x 24.5 x 48.4 cm |
| Min. Weight | 17.5 lbs / 7.9 kg |
| No. Drive Bays | Custom |
| Expansion Slots | 2 x full height PCIe x16 ADJ (engaged) 2 x full height PCIe x1 ADJ (engaged) |
| Power Supply Unit (PSU) | 1 x standard 800W PSU Active PFC ENERGY STAR compliant, Active PFC, SPLIT |
| Included | System soundproofing, quiet Maglev fans |
| Accessories | Keyboard: Backlit mechanical spill-proof USB wired keyboard Mouse: USB wired mouse Video Display Wiring included Security Lock upon request |
| Security | Trusted Platform Module (TPM) 1.2, Available Data Protection Encryption, Chassis lock slot support, Setup/BIOS Password, I/O Interface Security, optional Smart Card keyboards, Intel Trusted Execution Technology, Intel Identity Protection Technology, Intel Ant-Theft Technology, BIOS support |
| Systems Management Options | In-Band systems management |
| Environmental & Regulatory Standards | Environmental Standards (eco-labels): ENERGY STAR 5.2, EPEAT Registered, CECP, WEEE, Japan Energy Law, South Korea E-standby, South Korea Eco-label (for SFF only), EU RoHS, China RoHS Other Environmental Options: Carbon Off-set; Asset Resale and Recovery Service |
| Warranty & Service | Limited Hardware Warranty |
| Configuration Services | Factory image load, BIOS customization, hardware customization, asset tagging, reporting available at extra charge. |

© 2021 Dextro Imaging Solutions, LLC. All Rights Reserved. All products and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation or endorsement by them.